

TABLE OF CONTENTS

FTXP-L

1	Features	2
2	Specifications	3
	Technical Specifications	3
	Electrical Specifications	4
3	Options	5
4	Dimensional drawings	8
5	Centre of gravity	9
6	Piping diagrams	11
7	Wiring diagrams	13
	Wiring Diagrams - Single Phase	13
8	Sound data	14
	Sound Pressure Spectrum	14

1 Features

Discreet wall mounted unit providing high efficiency and comfort

- Whisper quiet in operation down to 20 dBA
- Online controller (optional): control your indoor from any location with an app, via your local network or internet and keep an overview on your energy consumption
- The unit's compact dimensions makes it ideal for renovation projects, especially for above door installation
- Choosing for an R-32 product, reduces the environmental impact with 68% compared to R-410A and leads directly to lower energy consumption thanks to its high energy efficiency
- Seasonal efficiency values up to A++ in cooling and heating
- Space saving contemporary wall mounted design

1



Econo mode



Energy saving during standby mode



Night set mode



Fan only



Comfort mode



Powerful mode



Auto cooling-heating changeover



Indoor unit silent operation



Vertical auto swing



Auto fan speed



Fan speed steps



Dry programme



Titanium apatite deodorising filter



24 hour timer



Infrared remote control



Online controller via app



Auto-restart



Self diagnosis



Multi model application

2 Specifications

2-1 Technical Specifications				FTXP20L	FTXP25L	FTXP35L	FTXP50L	FTXP60L	FTXP71L
Power input	Cooling	Nom.	kW	0.017	0.019	0.032	0.029	0.032	
	Heating	Nom.	kW	0.020		0.032		0.035	
Casing	Colour			White					
Dimensions	Unit	Height/Width/Depth	mm	286/770/225			295/990/263		
	Packed unit	Height/Width/Depth	mm	305/830/360			368/1,080/383		
Weight	Unit		kg	9.00			13.5		
	Packed unit		kg	11.0			16		
Packing	Weight		kg	2.0			2.5		
Heat exchanger	Length		mm	610			820		
	Rows	Quantity		2					
	Fin pitch		mm	1.40					
	Stages	Quantity		18					
	Passes	Quantity		2.2			6		
	Tube type			ø5 Hi-XB					
	Fin	Type		ML fin (Multi louver)					
Heat exchanger 2	Length		mm	600			810		
	Rows	Quantity		1					
	Fin pitch		mm	1.40					
	Stages	Quantity		4			8		
Air filter	Type			Removable / washable					
Fan	Type			Cross flow fan					
	Quantity			1			-		
	Air flow rate	Cooling	High	m ³ /min	9.8	10.1	11.5	16.8	17.3
				cfm	346.1	356.7	406.1	593	610
			Medium	m ³ /min	7.9	8.1	8.3	14.4	14.8
				cfm	279.0	286.0	293.1	508	522
			Low	m ³ /min	5.9	6.1	6.3	11.9	12.2
				cfm	208.4	215.4	222.5	413	430
		Silent operation	m ³ /min	4.4		4.5	10.5	10.7	
			cfm	155.4		159.0	367	377	
		Heating	High	m ³ /min	10.3		11.5	17.3	17.9
				cfm	363.7		406.1	618	632
			Medium	m ³ /min	8.4	8.6	9.0	14.8	15.8
				cfm	296.6	303.7	317.8	526	557
	Low		m ³ /min	6.5	6.7	7.0	12.2	12.8	
cfm			229.5	236.6	247.2	434	452		
Silent operation	m ³ /min	5.3		10.7	11.3				
	cfm	287.0		381	399				
Fan motor	Model			MM6K11S20VA			MM9E17S21VA		
	Speed	Steps		5 + silent, + auto					
		Cooling	High/Medium/Low/Silent operation	rpm	1,000/830/660/530	1,020/850/680/530	1,140/870/700/540	1,040/920/790/720	1,070/940/810/730
				rpm	1,040/880/710/610	1,040/890/730/610	1,140/930/760/610	1,070/940/810/730	1,100/990/840/760
		Heating	High/Medium/Low/Silent operation	rpm	1,040/880/710/610	1,040/890/730/610	1,140/930/760/610	1,070/940/810/730	1,100/990/840/760
rpm	1,040/880/710/610			1,040/890/730/610	1,140/930/760/610	1,070/940/810/730	1,100/990/840/760		
Output	Rated		W	22			46		
Sound power level	Cooling		dBA	55	58	59	60	62	
	Heating		dBA	55	58	61	62		

2 Specifications

2

2-1 Technical Specifications				FTXP20L	FTXP25L	FTXP35L	FTXP50L	FTXP60L	FTXP71L
Sound pressure level	Cooling	High/Medium/ Low/Silent operation	dBa	39/33/25/20	40/33/26/20	43/34/27/20	43/39/34/31	45/41/36/33	46/42/37/34
	Heating	High/Medium/ Low/Silent operation	dBa	39/34/28/21	40/34/28/21	40/35/29/21	42/38/33/30	44/40/35/32	45/41/36/33
Control systems	Infrared remote control			ARC480A11					
	Wired remote control			BRC944B2 / BRC073A1			BRC073A1		
Piping connections	Liquid	OD		6,35					
	Gas	OD		9.50			12.7		
	Drain			18					
	Heat insulation			Both liquid and gas pipes					
Temperature control				Microcomputer control					
Air direction control				Right, Left, Horizontal, Downward			Left, right, up and downwards		

Standard Accessories : Installation manual; Quantity : 1;

Standard Accessories : Operation manual; Quantity : 1;

Standard Accessories : Infrared remote control; Quantity : 1;

Standard Accessories : AAA dry-cell batteries; Quantity : 2;

Standard Accessories : Remote control holder; Quantity : 1;

Standard Accessories : Mounting plate; Quantity : 1;

Standard Accessories : Titanium apatite deodorizing filter; Quantity : 2;

Standard Accessories : Indoor unit fixing screws; Quantity : 2;

2-2 Electrical Specifications				FTXP20L	FTXP25L	FTXP35L	FTXP50L	FTXP60L	FTXP71L
Power supply	Name			-			V1		
	Phase			1~					
	Frequency	Hz		50					
	Voltage	V		220-240					
Current	Nominal running current (RLA) - 50Hz	Cooling	A	0.19	0.20	0.29	0.32	0.34	
		Heating	A	0.21		0.29	0.34	0.37	0.40

3 Options

3 - 1 Options

FTXP20-50L

Option kit	Product name	Remark	Applicable models		Factory
			Class	Casing	
Wired remote control	BRC073A1		20	EMUR2	DCZ
Wired remote control	BRC944B2		20	EMUR2	DCZ
Extension cord for wired remote control (-3m)	BRCW901A03		25	EMUR2	DCZ
Extension cord for wired remote control (-5m)	BRCW901A08		25	EMUR2	DCZ
Interface adaptor for wired remote control	KRP980B1		25	EMUR2	DCZ
Interface adaptor for wired remote control	KRP067A41		35	EMUR2	DCZ
Interface adaptor for wired remote control	KRP980B2		35	EMUR2	DCZ
Centralised control board (up to -5- rooms)	KRC72A		50	EMUR2	DCZ
Wiring adaptor (normal open contact - normal open pulse contact)	KRP413AB15		20	SCW	DCZ
Wi-Fi adaptor for smartphones	BRP069B41	④⑤	25	SCW	DCZ
Wi-Fi adaptor for smartphones	BRP069B42	⑤	35	MCV	DCZ
Wi-Fi adaptor for smartphones	BRP069B43	⑤	42	MCV	DCZ
Wi-Fi adaptor for smartphones	BRP069A44	⑥	50	MCV	DCZ
Wi-Fi adaptor for smartphones	BRP069B45	⑤	25	SF4	DL1(B)
Interface adaptor for DIII-NET	KRP9288B25		35	SF4	DL1(B)
Central remote control	DCS302CA51		50	SF4	DL1(B)
Unified ON/OFF controller	DCS301BA51		20	BMS-R32	DCZ
Schedule timer	DST301BA51		20	BMS-R32	DCZ
Titanium apatite deodorising filter without frame	KAF971A42	①	35	BMS-R32	DCZ
Titanium apatite deodorising filter without frame	KAF952B42	③	20	BMS-R32	DCZ
Titanium apatite deodorising filter without frame	KAF970A46	②	25	BMS-R32	DCZ
Honeycomb deodorising and air-purifying filter without frame	KAF968A42		35	BMS-R32	DCZ
Honeycomb deodorising filter with frame	KAZ917B41		25	BMS-R32	DCZ
Honeycomb deodorising filter without frame	KAZ917B42		35	BMS-R32	DCZ
Air-purifying filter with frame	KAF925B41		25	BMS-R32	DCZ
Honeycomb deodorising and air-purifying filter with frame	KAF046A41		35	BMS-R32	DCZ
Anti-theft protection for remote control	KXF910A44		20	BMS-R32	DCZ
Anti-theft protection for remote control	KXF917A44		25	BMS-R32	DCZ
Anti-theft protection for remote control	KXF936A44		35	BMS-R32	DCZ
Installation frame for floor-standing units	BKS028A4		50	BMS-R32	DCZ

Notes

1. R32 models

Legend

- ① Three-dimensional knitted fabric (-42x275-mm) + activated charcoal net
- ② Three-dimensional knitted fabric (-42x255-mm) + activated charcoal net
- ③ Corrugated fiberboard (-42x275-mm)
- ④ Without connection cable
- ⑤ Option -BRP069A**- was replaced by option -BRP069B**.
- ⑥ This option is no longer produced.

3D095173K

FTXP20-50L

Option kit	Product name	Remark	Applicable models		Factory
			Class	Casing	
Wired remote control	BRC073A1		15	New Mainstream	DCZ
Wired remote control	BRC944B2		20	New Mainstream	DCZ
Extension cord for wired remote control (-3m)	BRCW901A03		25	New Mainstream	DCZ
Extension cord for wired remote control (-5m)	BRCW901A08		35	New Mainstream	DCZ
Interface adaptor for wired remote control	KRP980B1		42	New Mainstream	DCZ
Interface adaptor for wired remote control	KRP067A41		50	New Mainstream	DCZ
Interface adaptor for wired remote control	KRP980B2		60	New Mainstream	DCZ
Centralised control board (up to -5- rooms)	KRC72A		71	New Mainstream	DCZ
Wiring adaptor (normal open contact - normal open pulse contact)	KRP413AB15		20	New Mainstream	DCZ
Wi-Fi adaptor for smartphones	BRP069B41	④⑤	25	New Mainstream	DCZ
Wi-Fi adaptor for smartphones	BRP069B42	⑤	35	New Mainstream	DCZ
Wi-Fi adaptor for smartphones	BRP069B43	⑤	42	New Mainstream	DCZ
Wi-Fi adaptor for smartphones	BRP069A44	⑥	50	New Mainstream	DCZ
Wi-Fi adaptor for smartphones	BRP069B45	⑤	20	EMUR2	DCZ
Interface adaptor for DIII-NET	KRP9288B25		25	EMUR2	DCZ
Central remote control	DCS302CA51		35	EMUR2	DCZ
Unified ON/OFF controller	DCS301BA51		20	EMUR2	DCZ
Schedule timer	DST301BA51		20	EMUR2	DCZ
Titanium apatite deodorising filter without frame	KAF971A42	①	25	EMUR2	DCZ
Titanium apatite deodorising filter without frame	KAF952B42	③	35	EMUR2	DCZ
Titanium apatite deodorising filter without frame	KAF970A46	②	35	EMUR2	DCZ
Honeycomb deodorising and air-purifying filter without frame	KAF968A42		50	EMUR2	DCZ
Honeycomb deodorising filter with frame	KAZ917B41		20	BMS-R32	DCZ
Honeycomb deodorising filter without frame	KAZ917B42		25	BMS-R32	DCZ
Air-purifying filter with frame	KAF925B41		35	BMS-R32	DCZ
Honeycomb deodorising and air-purifying filter with frame	KAF046A41		35	BMS-R32	DCZ
Anti-theft protection for remote control	KXF910A44		20	BMS-R32	DCZ
Anti-theft protection for remote control	KXF917A44		25	BMS-R32	DCZ
Anti-theft protection for remote control	KXF936A44		35	BMS-R32	DCZ
Installation frame for floor-standing units	BKS028A4		35	BMS-R32	DCZ

Notes

1. R32 models

Legend

- ① Three-dimensional knitted fabric (-42x275-mm) + activated charcoal net
- ② Three-dimensional knitted fabric (-42x255-mm) + activated charcoal net
- ③ Corrugated fiberboard (-42x275-mm)
- ④ Without connection cable
- ⑤ Option -BRP069A**- was replaced by option -BRP069B**.
- ⑥ This option is no longer produced.

3D095173K

3 Options

3 - 1 Options

3

FTXP20-50L

Option kit	Product name	Remark	Applicable models																								
			Class	Casing	Factory	FTXP10M2V1B	FTXP10M4V1B	FTXP10M6V1B	FTXP20K3V1B	FTXP20K3V1B	FTXP20K3V1B	ATXP20K3V1B	ATXP20K3V1B	FTW20L2V1B	FTW20L2V1B	FTW20L2V1B	FTW20L2V1B	ATW20L2V1B	ATW20L2V1B	ATW20L2V1B	FTW20A2V1B	FTW25A2V1B	FTW25A2V1B	FTW50A2V1B	FTW50A2V1B	FTW60A2V1B	
Wired remote control	BRC073A1		30	New Mainstream	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wired remote control	BRC944B2		40	New Mainstream	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Extension cord for wired remote control (.3-m)	BRCW901A03		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Extension cord for wired remote control (.5-m)	BRCW901A08		35	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Interface adaptor for wired remote control	KRP980B1		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Interface adaptor for wired remote control	EKR9067A41		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Interface adaptor for wired remote control	EKR980B2		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Centralised control board (up to 5-rooms)	KRC72A		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wiring adaptor (normal open contact - normal open pulse contact)	KRP413AB15		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wi-Fi adaptor for smartphones	BRP069B41	④ ⑤	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wi-Fi adaptor for smartphones	BRP069B42	⑤	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wi-Fi adaptor for smartphones	BRP069B43	⑤	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wi-Fi adaptor for smartphones	BRP069A44	⑥	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wi-Fi adaptor for smartphones	BRP069B45	⑤	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Interface adaptor for DIII-NET	KRP928BB25		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Central remote control	DCS302CA51		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Unified ON/OFF controller	DCS301BA51		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Schedule timer	DST301BA51		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Titanium apatite deodorising filter without frame	KAF971A42	①	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Titanium apatite deodorising filter without frame	KAF952B42	③	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Titanium apatite deodorising filter without frame	KAF970A46	②	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Honeycomb deodorising and air-purifying filter without frame	KAF968A42	②	25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Honeycomb deodorising filter with frame	KAZ917B41		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Honeycomb deodorising filter without frame	KAZ917B42		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Air-purifying filter with frame	KAF925B41		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Honeycomb deodorising and air-purifying filter with frame	KAF046A41		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Anti-theft protection for remote control	KKF910AA4		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Anti-theft protection for remote control	KKF917AA4		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Anti-theft protection for remote control	KKF936A4		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Installation frame for floor-standing units	BKS028A4		25	BMS-R32	DI-CZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Notes

1.R32 models

Legend

- ① Three-dimensional knitted fabric (42x275-mm) + activated charcoal net
- ② Three-dimensional knitted fabric (42x255-mm) + activated charcoal net
- ③ Corrugated fiberboard (42x275-mm)
- ④ Without connection cable
- ⑤ Option -BRP069A** was replaced by option -BRP069B**.
- ⑥ This option is no longer produced.

3D095173K

3 Options

3 - 1 Options

FTXP50-71L

Option kit	Product name	Remark	Applicable models														Factory						
			FTXTM30M2V1B	FTXTM40M2V1B	FTXTP25K3V1B	FTXTP35K3V1B	ATXTP25K3V1B	ATXTP35K3V1B	FTXP20L2V1B	FTXP25L2V1B	FTXP35L2V1B	ATXP20L2V1B	ATXP25L2V1B	ATXP35L2V1B	FTXF20A2V1B	FTXF25A2V1B		FTXF35A2V1B	FTXF50A2V1B	FTXF60A2V1B	FTXF71A2V1B	FTXP50L2V1B	FTXP60L2V1B
			30	40	25	35	25	35	20	25	35	20	25	35	20	25	35	50	60	71	50	60	71
Wired remote control	BRC073A1		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wired remote control	BRC944B2		✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Extension cord for wired remote control (·3·m)	BRCW901A03		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Extension cord for wired remote control (·5·m)	BRCW901A08		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Interface adaptor for wired remote control	KRP980B1		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Interface adaptor for wired remote control	EKRP067A41		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Interface adaptor for wired remote control	EKRP980B2		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Centralised control board (up to ·5· rooms)	KRC72A		✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Wiring adaptor (normal open contact - normal open pulse contact)	KRP413AB1S		✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Wi-Fi adaptor for smartphones	BRP069B41	④ ⑤	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Wi-Fi adaptor for smartphones	BRP069B42	⑤	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Wi-Fi adaptor for smartphones	BRP069B43	⑤	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Wi-Fi adaptor for smartphones	BRP069A44	⑥	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Wi-Fi adaptor for smartphones	BRP069B45	⑤	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Interface adaptor for DIII-NET	KRP928BB2S		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Central remote control	DCS302CA51		✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Unified ON/OFF controller	DCS301BA51		✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Schedule timer	DST301BA51		✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Titanium apatite deodorising filter without frame	KAF971A42	①	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Titanium apatite deodorising filter without frame	KAF952B42	③	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Titanium apatite deodorising filter without frame	KAF970A46	②	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Honeycomb deodorising and air-purifying filter without frame	KAF968A42		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Honeycomb deodorising filter with frame	KAZ917B41		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Honeycomb deodorising filter without frame	KAZ917B42		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Air-purifying filter with frame	KAF925B41		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Honeycomb deodorising and air-purifying filter with frame	KAF046A41		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Anti-theft protection for remote control	KKF910AA4		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Anti-theft protection for remote control	KKF917AA4		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Anti-theft protection for remote control	KKF936A4		✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Installation frame for floor-standing units	BKS028A4		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗


Legend

- ① Three-dimensional knitted fabric (·42x275·mm) + activated charcoal net
- ② Three-dimensional knitted fabric (·42x255·mm) + activated charcoal net
- ③ Corrugated fiberboard (·42x275·mm)
- ④ Without connection cable
- ⑤ Option ·BRP069A**· was replaced by option ·BRP069B**·.
- ⑥ This option is no longer produced.

3D095173M



Daikin Europe N.V. Naamloze Vennootschap - Zandvoordestraat 300, B-8400 Oostende - Belgium - www.daikin.eu - BE 0412 120 336 - RPR Oostende



EEDEN18 04/18



Daikin Europe N.V. participates in the Eurovent Certified Performance programme for Liquid Chilling Packages and Hydronic Heat Pumps, Fan Coil Units and Variable Refrigerant Flow systems. Check ongoing validity of certificate: www.eurovent-certification.com



The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V.. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.